

R. A C T R, BT


Role of olfaction in host plant selection and local adaptation of a polyphagous herbivore, ***Ecila i*** Sharp

P. R. C. Dodd^{1,*}, M. A. Minor^{1a}, . V. ng¹, DJ . R. oger², E. M. oo¹ & . AT re ick^{1a}

O: a

A a Y: b (a a a 22.2 c a 4.5 c
 a c a a 24.2 c a 4.5 c a -
) acP a , : a PaPac-
 b a a . E a Y: b
 c cP a a : a a
 c cP a c a c a acP-
 aP a c a A a a : a
 a Y: b a a a a
 a a c a a aPa aP 400 / .

I a b (aPa) a
 c a a Y: b :
 a c a b (4 c a) a
 aP a ac aP aP
 a b aP a a . E a b
 (4 c a) c a



Conclusions

W \dots ab \dots ; \dots \dots c \dots \dots aP \dots ; \dots
a \dots aP \dots ; \dots caP b a \dots E \dots a
 \dots I \dots aP a \dots \dots b \dots b \dots
a \dots ; \dots a \dots aP \dots ; b \dots
 \dots \dots aP \dots aP \dots b \dots caP ; \dots
; \dots acP \dots a \dots . W a \dots
; \dots acP a \dots b a a (\dots 2
a 3) \dots aP acP a a \dots ca
a a \dots . H \dots a \dots \dots
acP \dots (aP a \dots Ha \dots c N \dots b \dots
aP) a \dots ca a a \dots
a c a \dots a \dots a \dots .
O acP \dots a \dots a \dots a \dots a \dots b \dots
a acc \dots a c \dots a \dots a \dots a
a \dots \dots a (\dots a \dots)
a \dots) .

Acknowledgements

W \dots a \dots a c a \dots
Ha Ba \dots N Z a a \dots c \dots a
 \dots . PRCD a \dots b L \dots

