

Correlation between shell phenotype and local environment suggests a role for natural selection in the evolution of *Lymnaea stagnalis* snails

†

‡






Fig. 1



Methods

4

1-0

1-0 0 0

1-0

4 4

1-0 0 0

1-0 0 0 0

4

1-0 0 0 0

4


4

^













- ● , / ● , //

Δ

● , - ● , /

Δ

Δ

Δ

Δ

Δ

Δ

Δ

Δ

Δ

Δ

<

●

Δ

>

Δ

Δ

● Δ

Δ

-

● Δ

Δ

● , - ● , /

Δ



Δ

Δ

Δ

Δ

Δ

⊙ ⊙ ⊙

Δ

Δ

Δ Δ

-

Δ

⊙ ⊙

⊙ ⊙ ⊙

Δ

⊙ ⊙ ⊙

⊙ ⊙ ⊙

Δ

Δ

Δ

Δ

⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙ ⊙

⊙ ⊙ ⊙

Δ





1 -

22 -

-

22 - 4

31 - 4 4

4

44 - 4

15

4

394 -

4

4

4 -

4

4

11

4 -

20 -

J. -

2012

4 180 -

4 26 -

4

4 113 -

97 -

254 -

4

38 -

4 4

7 -

17 -

367 -

26 -

4

31

26 - 7

4



